

MiyohaZE White Pressed Powder

Phase	Trade Name	INCI Name	Function	Supplier	%	
A	Kaolin 2000C	Kaolin	Filler	KaMin Performance Minerals	9.16%	
	AMIHOPE® LL	Lauroyl Lysine	Texture Modifier	Ajinomoto Health & Nutrition North America, Inc.	10.00%	
	MiyoFEEL SXI-L	Mica (and) Silica (and) Hydrogenated Lecithin (and) Calcium Chloride	Texture Modifier	Miyoshi America, Inc.	20.00%	
	PURITY® 21C	Zea Mays (Corn) Starch	Texture Modifier	Nouryon	10.30%	
	SB-300	Silica	Texture Modifier	Miyoshi America, Inc.	3.00%	
	MiyohaZE White	Magnesium Potassium/Titanate	Opacifier		3.00%	
	MiyonAT OLV-Red	Iron Oxides (and) Hydrogenated Olive Oil Stearyl Ester	Pigment		9.75%	
	MiyonAT OLV-Yellow				12.98%	
	MiyonAT OLV-Black				6.83%	
	NAI-Unipure Blue	Ultramarines (and) Disodium Stearoyl Glutamate (and) Aluminum Hydroxide			8.78%	
B	Floraesters® 30	Jjoba Esters	Emollient		Floratech®, a Cargill Company	0.20%
	Lexgard® OE 90	Caprylyl Glycol (and) Ethylhexylglycerin	Preservative		INOLEX Incorporated	1.00%
	PELEMOL® CCC	Coco-Caprylate/Caprata	Emollient		Phoenix Chemical, Inc.	1.42%
	Florasun® 90	Helianthus Annuus (Sunflower) Seed Oil	Emollient		Floratech®, a Cargill Company	1.42%
	SOFTISAN® 649	Bis-Diglyceryl Polyacyladipate-2	Emollient	IOI Oleo GmbH	1.42%	
	Risonol 20SP	Octyldodecanol	Emollient	Miyoshi America, Inc.	0.74%	
Total:					100.00%	

Procedure

1	Weigh Phase A into a blender and blend on high for 1½ minutes.
2	Add Phase B to a beaker and begin warming to 65°C while stirring with a stir bar.
3	Once Phase B reaches temperature and all thicker materials have become fluid, add Phase B to Phase A.
4	Blend with a blender on high for 2 minutes. Scrape the sides if necessary and blend another 20 seconds.
6	Press powder into desired pans and glue into packaging.